

according to Regulation (EC) No 1907/2006

# Phosphattest Lsg. B zum AquaActiv Wasseranalyse Profi-Set

Revision date: 06.03.2017

Product code: 50571\_Phosphattest\_B

Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Phosphattest Lsg. B zum AquaActiv Wasseranalyse Profi-Set

#### Further trade names

This product is part of a kit.: AquaActiv Wasseranalyse Profi-Set

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent.

### Uses advised against

any non-intended use.

# 1.3. Details of the supplier of the safety data sheet

Company name:	OASE GmbH		
Street:	Tecklenburger Straße 16	1	
Place:	D-48477 Hörstel		
Telephone:	+49 (5454) 800		Telefax:+49 (5454) 8090
e-mail:	info@oase-livingwater.co	m	
Contact person:	Markus Dreyer; Forschun	ig und	Telephone:+49 (5454) 80450
	Entwicklung		
e-mail:	m.dreyer@oase-livingwat	ter.com	
Internet:	www.oase-livingwater.cor	n	
Responsible Department:	Dr. Gans-Eichler	e-mail: info@t	ge-consult.de
	Chemieberatung GmbH	Tel.: +49 (0)2	51/924520-60
	Raesfeldstr. 22	www.tge-consi	ult.de
	D-48149 Münster		
1.4. Emergency telephone	Beratungsstelle für Vergif	tungserscheinun	g in Berlin: +49 (30) - 30686 790

#### number:

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

# 2.2. Label elements

#### Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP]: none

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No risks worthy of mention. Please observe the information on the safety data sheet at all times.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### **Chemical characterization**

The components are not hazardous or are below required disclosure limits.

### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

# SECTION 4: First aid measures



according to Regulation (EC) No 1907/2006

# Phosphattest Lsg. B zum AquaActiv Wasseranalyse Profi-Set

Revision date: 06.03.2017

Product code: 50571\_Phosphattest\_B

Page 2 of 8

# 4.1. Description of first aid measures

### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, consult a physician.

### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

# After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

### Unsuitable extinguishing media

High power water jet.

# 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Hydrogen chloride (HCI)

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

# Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

### 6.2. Environmental precautions

Discharge into the environment must be avoided.

# 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**



according to Regulation (EC) No 1907/2006

# Phosphattest Lsg. B zum AquaActiv Wasseranalyse Profi-Set

Revision date: 06.03.2017

Product code: 50571\_Phosphattest\_B

Page 3 of 8

# 7.1. Precautions for safe handling

### Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion Usual measures for fire prevention.

# Further information on handling

General protection and hygiene measures: refer to chapter 8

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

# Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff

# Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Recommended storage temperature: 5-25°C Protect against: Light. UV-radiation/sunlight. heat. moisture.

### 7.3. Specific end use(s)

refer to chapter 1.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

# Additional advice on limit values

To date, no national critical limit values exist.

# 8.2. Exposure controls

### Appropriate engineering controls

No special measures are necessary.

### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

# Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

# Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves. Suitable material: FKM (fluororubber). - Thickness of glove material: 0,4 mm Breakthrough time >= 8 h Butyl rubber. - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm Breakthrough time  $\geq 8$  h PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them



according to Regulation (EC) No 1907/2006

# Phosphattest Lsg. B zum AquaActiv Wasseranalyse Profi-Set

Revision date: 06.03.2017

Product code: 50571\_Phosphattest\_B

Page 4 of 8

Test method

before taking off and air them well.

# Skin protection

# Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

# **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

### **Environmental exposure controls**

No special precautionary measures are necessary.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	clear
Odour:	characteristic

	lest	method
pH-Value:	not determined	
Changes in the physical state		
Melting point:	not determined	
Initial boiling point and boiling range:	not determined	
Sublimation point:	not determined	
Softening point:	not determined	
Pour point:	not determined	
Flash point:	not determined	
Sustaining combustion:	Not sustaining combustion	
Explosive properties none		
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Ignition temperature:	not determined	
Auto-ignition temperature Gas:	not determined	
Decomposition temperature:	not determined	
Oxidizing properties		
none		
Vapour pressure:	23 hPa	
Density:	~1 g/cm³	
Water solubility:	completely miscible	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Viscosity / dynamic:	not determined	
Viscosity / kinematic:	not determined	
Flow time:	not determined	
Vapour density:	not determined	



according to Regulation (EC) No 1907/2006

Phosphattest Lsg. B zum AquaActiv Wasseranalyse Profi-Set			
evision date: 06.03.2017	Product code: 50571_Phosphattest_B	Page 5 of 8	
Evaporation rate:	not determined		
Solvent separation test:	not determined		

Solvent separation test: Solvent content:

### 9.2. Other information

Rev

Solid content:

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

# 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

# 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

# 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Hydrogen chloride (HCI)

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# Toxicocinetics, metabolism and distribution

No data available.

# Acute toxicity

Based on available data, the classification criteria are not met.

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

# Specific effects in experiment on an animal

No data available.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

The product has not been tested. 12.2. Persistence and degradability

# not determined

not determined



according to Regulation (EC) No 1907/2006

# Phosphattest Lsg. B zum AquaActiv Wasseranalyse Profi-Set

Revision date: 06.03.2017

Product code: 50571\_Phosphattest\_B

Page 6 of 8

The product has not been tested.

# 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

# 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

# 12.6. Other adverse effects

No data available.

### Further information

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

# Waste disposal number of waste from residues/unused products

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

# Waste disposal number of used product

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

# Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

# Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

# SECTION 14: Transport information

# Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

# Phosphattest Lsg. B zum AquaActiv Wasseranalyse Profi-Set

Phosphattes	st Lsg. B zum AquaActiv Wasseranalyse Profi-Set	
Revision date: 06.03.2017	Product code: 50571_Phosphattest_B	Page 7 of 8
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
<b>14.6. Special precautions for user</b> refer to chapter 6-8		
14.7. Transport in bulk according to Annex not relevant	x II of Marpol and the IBC Code	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information		
2010/75/EU (VOC):	No information available.	
2004/42/EC (VOC):	No information available.	
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
Additional information		
The mixture is classified as not haza REACH 1907/2006 Appendix XVII: n	rdous according to regulation (EC) No 1272/2008 [CLP]. ot relevant	
National regulatory information		
Water contaminating class (D):	1 - slightly water contaminating	
15.2. Chemical safety assessment		
Chemical safety assessments for sul	ostances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		
Rev. 1.0; 20.02.2014, Initial release Rev. 2,0; 06.03.2017, Changes in ch	apter: 1-16.	
Abbreviations and acronyms		
CAS Chemical Abstracts Service	ort des marchandises dangereuses par Route	
DNEL: Derived No Effect Level		
IARC: INTERNATIONAL AGENCY F IMDG: International Maritime Code for		
IATA: International Air Transport Asso		
-	ations by the "International Air Transport Association" (IATA)	

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)



according to Regulation (EC) No 1907/2006

# Phosphattest Lsg. B zum AquaActiv Wasseranalyse Profi-Set

Revision date: 06.03.2017

Product code: 50571\_Phosphattest\_B

Page 8 of 8

LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program N/A: not applicable OSHA: Occupational Safety and Health Administration PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SARA: Superfund Amendments and Reauthorization Act SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe **TSCA:** Toxic Substances Control Act VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe WGK: Wassergefährdungsklasse **Further Information** Classification according EC regulation 1272/2008 (CLP): - Classification procedure: Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data. and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)